

PROCESSED AT :

Thyrocare

D-37/1, TTC MIDC, Turbhe,  
Navi Mumbai-400 703



CAP  
ACCREDITED  
COLLEGE of AMERICAN PATHOLOGISTS

Thyrocare®  
The Trust. The Truth.

Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703

☎ 022 - 3090 0000 / 6712 3400 📞 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

REPORT

NAME : HARI OM KUMAR RASTOGI (62Y/M)  
REF. BY : SELF  
TEST ASKED : BLOOD SUGAR (F)

SAMPLE COLLECTED AT :

CFO-06, MARUTHAM PRESTIGE,, 1ST CROSS  
STREET, WEST TAMBARAM, CHENNAI, WEST  
TAMBARAM, NEAR ANNAI INDIRA NAGAR PATK,,  
CHENNAI, 600045

TEST NAME	TECHNOLOGY	VALUE	UNITS
FASTING BLOOD SUGAR	PHOTOMETRY	145.5	mg/dL

Reference Range :-

70-99

Please correlate with clinical conditions.

Method:- GOD-PAP METHOD

Sample Collected on (SCT) : 13 Nov 2020 06:38  
Sample Received on (SRT) : 14 Nov 2020 04:16  
Report Released on (RRT) : 14 Nov 2020 05:25  
Sample Type : FLUORIDE  
Labcode : 1311057904/CHE32  
Barcode : P7396559



Dr. Prachi Sinkar MD(Path)

Dr. Caesar Sengupta MD(Micro)



Corporate office : Thyrocare Technologies Limited, D-37/3, TTC MIDC, Turbhe, Navi Mumbai - 400 703  
 ☎ 022 - 3090 0000 / 6712 3400 📞 9870666333 ✉ wellness@thyrocare.com 🌐 www.thyrocare.com

**REPORT**

**NAME :** HARI OM KUMAR RASTOGI (62Y/M)  
**REF. BY :** SELF  
**TEST ASKED :** HbA1c

**SAMPLE COLLECTED AT :**  
 CFO-06, MARUTHAM PRESTIGE,, 1ST CROSS  
 STREET, WEST TAMBARAM, CHENNAI, WEST  
 TAMBARAM, NEAR ANNAI INDIRA NAGAR PATK,,  
 CHENNAI, 600045

TEST NAME	TECHNOLOGY	VALUE	UNITS
HbA1c - (HPLC - NGSP Certified)	H.P.L.C	7.6	%

**Reference Range :**

**Reference Range: As per ADA Guidelines**

Below 5.7% : Normal  
 5.7% - 6.4% : Prediabetic  
 >=6.5% : Diabetic

**Guidance For Known Diabetics**

Below 6.5% : Good Control  
 6.5% - 7% : Fair Control  
 7.0% - 8% : Unsatisfactory Control  
 >8% : Poor Control

**Method :** Fully Automated H.P.L.C. using Biorad Variant II Turbo

**AVERAGE BLOOD GLUCOSE (ABG) CALCULATED 171 mg/dl**

**Reference Range :**

90 - 120 mg/dl : Good Control  
 121 - 150 mg/dl : Fair Control  
 151 - 180 mg/dl : Unsatisfactory Control  
 > 180 mg/dl : Poor Control

**Method :** Derived from HBA1c values

**Please correlate with clinical conditions.**

~~ End of report ~~

**Sample Collected on (SCT)** : 13 Nov 2020 06:38

**Sample Received on (SRT)** : 14 Nov 2020 04:16

**Report Released on (RRT)** : 14 Nov 2020 05:35

**Sample Type** : EDTA

**Labcode** : 1311057923/CHE32

**Barcode** : P7396560



*Prachi Sinkar*

Dr.Prachi Sinkar MD(Path)

*Caesar*

Dr.Caesar Sengupta MD(Micro)



## CONDITIONS OF REPORTING

- ✓ The reported results are for information and interpretation of the referring doctor only.
- ✓ It is presumed that the tests performed on the specimen belong to the patient; named or identified.
- ✓ Results of tests may vary from laboratory to laboratory and also in some parameters from time to time for the same patient.
- ✓ Should the results indicate an unexpected abnormality, the same should be reconfirmed.
- ✓ Only such medical professionals who understand reporting units, reference ranges and limitations of technologies should interpret results.
- ✓ This report is not valid for medico-legal purpose.
- ✓ Neither Thyrocare, nor its employees/representatives assume any liability, responsibility for any loss or damage that may be incurred by any person as a result of presuming the meaning or contents of the report.
- ✓ Thyrocare Discovery video link :- <https://youtu.be/nbdYeRqYyQc>
- ✓ For clinical support please contact @8450950851,8450950852,8450950853,8450950854 between 10:00 to 18:00

## EXPLANATIONS

- ✓ Majority of the specimen processed in the laboratory are collected by Pathologists and Hospitals we call them as "Clients".
- ✓ **Name** - The name is as declared by the client and recored by the personnel who collected the specimen.
- ✓ **Ref.Dr** - The name of the doctor who has recommended testing as declared by the client.
- ✓ **Labcode** - This is the accession number in our laboratory and it helps us in archiving and retrieving the data.
- ✓ **Barcode** - This is the specimen identity number and it states that the results are for the specimen bearing the barcode (irrespective of the name).
- ✓ **SCP** - Specimen Collection Point - This is the location where the blood or specimen was collected as declared by the client.
- ✓ **SCT** - Specimen Collection Time - The time when specimen was collected as declared by the client.
- ✓ **SRT** - Specimen Receiving Time - This time when the specimen reached our laboratory.
- ✓ **RRT** - Report Releasing Time - The time when our pathologist has released the values for Reporting.
- ✓ **Reference Range** - Means the range of values in which 95% of the normal population would fall.

## SUGGESTIONS

- ✓ Values out of reference range requires reconfirmation before starting any medical treatment.
- ✓ Retesting is needed if you suspect any quality shortcomings.
- ✓ Testing or retesting should be done in accredited laboratories.
- ✓ For suggestions, complaints or feedback, write to us at **info@thyrocare.com** or call us on **022-3090 0000 / 6712 3400**
- ✓ SMS: <Labcode No.> to **9870666333**

*Preventive Healthcare is now at your fingertips!*

Explore & Select Test / Profile

Book Through App

Booking Confirmation

Track your Technician

Blood Collection

Sample Testing

Download Report & Receipt

Download Thyroapp Now

Are you chronically tired, feel bloated, have abdominal pain, brain fog or suffer from recurrent cold or sinus problems?

### Healthy food does not mean its good for you...

Understand the facts behind your symptoms with Food Intolerance profile

**Food Intolerance Profile**

*9 categories including 217 food items*

▶ Meat (16)	▶ Dairy (9)	▶ Vegetables (39)
▶ Cereals (18)	▶ Fish (38)	▶ Spices (31)
▶ Nuts (11)	▶ Fruits (38)	▶ Miscellaneous (17)

**Follow elimination diet... feel better again!**

☎ : 8422849896

Scan Me  
Thyrocare Video

✉ : [foodi@thyrocare.com](mailto:foodi@thyrocare.com)

**Thyrocare**  
The Trust. The Truth.


Page : 4 of 4

S74 - LPL - CHENNAI  
KKR ENT Hospital & Research Institute  
Building,2ndFloor,#6 OMR Road,Karapakkam  
CHENNAI 600096



Name	: Mr. HARI OM KUMAR RASTOGI	Collected	: 13/11/2020 11:00:00AM
Lab No.	: 290238012	Age: 62 Years	Gender: Male
A/c Status	: P	Ref By : SELF	Report Status : Final
		Received	: 13/11/2020 1:03:05PM
		Reported	: 13/11/2020 2:19:51PM

Test Name	Results	Units	Bio. Ref. Interval
GLUCOSE, POST PRANDIAL (PP), 2 HOURS, PLASMA * (GOD-POD)	167.50	mg/dL	70.00 - 140.00



Dr P Mahendranath  
MBBS,MD (PATH)  
Consultant Pathologist  
Dr Lal PathLabs Ltd



Dr. Saranya Mohan  
MD, Pathology  
Chief of Lab

-----End of report -----

**IMPORTANT INSTRUCTIONS**

\*Test results released pertain to the specimen submitted.\*All test results are dependent on the quality of the sample received by the Laboratory.  
\*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician.\*Sample repeats are accepted on request of Referring Physician within 7 days post reporting.\*Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted.\*Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting.\*Test results may show interlaboratory variations.\*The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s).\*Test results are not valid for medico legal purposes. \*Contact customer care Tel No. +91-11-39885050 for all queries related to test results.  
(#) Sample drawn from outside source.

\* Not in NABL scope

